MORIMOTO

THE AUTOMOTIVE LIGHTING BENCHMARK

2014-15 CAMARO
# XB LED TAILLIGHTS
INSTALL GUIDE

WARNING: By reading this document, you agree it is only to be used as an educational guide. Morimoto Lighting nor its dealers make guarantees on any finished results, nor are they to be held responsible for any damage, misuse, or personal injuries. If you are unable to clearly understand and adapt the information below, professional installation is recommended.


STANDARD PARTS

### 2x TAIL LIGHT HOUSINGS


2x ADHESIVE-BACKED RED REFLECTORS

(!) NOTE: There are two installation types of these tail lights: OEM LED and OEM BASE. This guide covers both types.

OEM LED TAIL LIGHT CARS

To adapt the tail lights to utilize the factory LED tail light plugs, first slide out the U-Shape red lock piece of the connector, then unplug the sub-harness.

XB LED Tail Lights' connector pinout (if needed)

Brown: Data-Sense Signal
Yellow: Turn Signal
Black: Ground (-)
White: Reverse lights
Red: Brake Lights
Blue: Running Lights

OEM BASE TAIL LIGHT CARS

The multi-pin connector on the tail lights will plug in to the stock plug without modifications.

XB LED Tail Lights' connector pinout (if needed)

Black: Ground (-)
Yellow: Turn Signal
White: Reverse lights
Blue: Running Lights

SEQUENTIAL TURN SIGNAL CONTROL

DISCONNECTED:
Sequential Turn Signal Function

CONNECTED:
Standard Turn Signal Function

## ADDING BUMPER REFLECTORS (OPTIONAL)

Alcohol Wipe

Use alcohol wipes to clean the bumper in the indicated areas to prepare the surface for the reflector adhesive.

Remove the tape from the back of the reflectors.

18cm

18cm   18cm

Affix the reflectors to the indicated locations.